

## Specification Sheet

Part Number: 170-03151



Braided Sleeving, Hook & Loop, 2.0" Dia, PET, Black, 100 ft/bulk reel

<b>Article Number</b>	170-03151
<b>Type</b>	BSHKLP200B
<b>Color</b>	Black (BK)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Flexible construction that conforms to irregular shapes and contours.</li><li>• Hook and loop feature wraps over cable bundle allowing future access to cables.</li><li>• Easy access saves assembly time and allows for easy splicing or insertion of additional wires.</li></ul>
<b>Quantity Per</b>	reel
<b>Product Description</b>	Expandable braided sleeving with hook & loop strip for wrapping around cable assemblies. Color matched hook & loop closure provides an easy on and off installation, as well as convenient access for harness break-outs.
<b>Short Description</b>	Braided Sleeving, Hook & Loop, 2.0" Dia, PET, Black, 100 ft/bulk reel

**Global Part Name**

BSHKLP200B-PET-BK

**Length L (Imperial)**

100.0

**Length L (Metric)**

30.48

**Bundle Diameter Min (Imperial)**

0.1

**Bundle Diameter Min (Metric)**

2.54

**Bundle Diameter Max (Imperial)**

2.0

**Bundle Diameter Max (Metric)**

50.8

**Diameter D (imperial)**

2.0

**Diameter D (metric)**

50.8

**Nominal Diameter (Imperial)**

2

**Nominal Diameter (Metric)**

50.8

**Wall Thickness WT (Imperial)**

0.025

**Wall Thickness WT (Metric)**

0.635

**Material**

Polyester (PET)

**Material Shortcut**

PET

<b>Flammability</b>	UL 94 V0 FAR 25
<b>Halogen free</b>	Yes
<b>Operating Temperature (Metric)</b>	-94°F to +248°F (-70°C to +125°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>UL Recognized (US)</b>	Yes
<b>UL Recognized (US and Canada)</b>	Yes
<b>Package Quantity(Imperial)</b>	100
<b>Package Quantity (Metric)</b>	30.48
<b>Customs Number</b>	3926909987
<b>Weight (Metric)</b>	1.5
<b>Weight (Imperial)</b>	3.2